5

20

## WHAT IS CLAIMED IS:

1. A compound of the formula X-Y-Z; wherein

Y is an aromatic cyclic structure substituted at least once with OH and optionally substituted with SH, H,  $C_{1-22}$  alkyl,  $C_{2-22}$  alkene,  $C_{2-22}$  alkyne, primary, secondary or tertiary amine, amino, nitro, nitroso, halogen; and

at least one of X and Z are a carbon-containing ring structure that may also contain at least one of oxygen, nitrogen and sulfur.

- 2. The compound of claim 1, wherein X and Z are independently selected from H, nitro, nitroso, cyano, halogen, C<sub>1-22</sub> alkyl, C<sub>1-22</sub> alkoxy, -C(O)R<sup>9</sup> wherein R<sup>9</sup> is C<sub>1-8</sub> alkyl, -O-C-O-R<sup>9</sup> wherein R<sup>9</sup> is C<sub>1-8</sub> alkyl, -COOR<sup>10</sup> wherein R<sup>10</sup> is H or C<sub>1-8</sub> alkyl, -C(O)NR<sup>10</sup> wherein R<sup>10</sup> is H or C<sub>1-8</sub> alkyl, a primary, secondary or tertiary amine, substituted or unsubstituted carbocyclic ring, a substituted or unsubstituted aryl ring, a substituted or unsubstituted heteroaryl ring, a substituted or unsubstituted benzannulated carbocyclic ring, a substituted or unsubstituted arylannulated carbocyclic ring or a substituted or unsubstituted heterocyclic ring.
  - 3. The compound of claim 1, wherein the compound is a 2-hydroxyphenyl(benzoxazol-2-yl) of the formula:

5

10

15

20

25

wherein  $R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$  are independently selected from H, alkyl ( $C_1$ - $C_8$ ), alkoxy ( $C_1$ - $C_8$ ), acyl (-C(O)R; R = alkyl  $C_1$ - $C_8$ ), acetoxy (-OC(O)R; R = alkyl  $C_1$ - $C_8$ ), carboxylic acid and esters (- $CO_2R =$  H or alkyl of  $C_1$ - $C_8$ ), amine ( $NR_2$ ; R = H or alkyl  $C_1$ - $C_8$ ), nitro, nitroso, cyano, halogen, substituted aryl, unsubstituted aryl, substituted heteroaryl, unsubstituted heteroaryl, amide, or wherein

 $R^1$  and  $R^2$  or  $R^2$  and  $R^3$  or  $R^3$  and  $R^4$  together form a carbocyclic ring, substituted or unsubstituted and fused carbocyclic ring, substituted or unsubstituted benzannulated carbocyclic and substituted or unsubstituted arylannulated carbocyclic; and  $R^5$ ,  $R^6$ ,  $R^7$  and  $R^8$  = H, alkyl ( $C_1$ - $C_8$ ), alkoxy ( $C_1$ - $C_8$ ), acyl (-C(O)R; R = alkyl  $C_1$ - $C_8$ ), acetoxy (-C(O)R; R = alkyl  $C_1$ - $C_8$ ), carboxylic acid and esters (- $CO_2R$  = H or alkyl of  $C_1$ - $C_8$ ), amine ( $NR_2$ ; R = H or alkyl  $C_1$ - $C_8$ ), nitro, nitroso, cyano, halogen (CI, CI, CI), substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl, amide (- $C(O)NR_2$  R = H or alkyl  $C_1$ - $C_8$ ), substituted or unsubstituted benzannulatedheterocyclic, substituted or unsubstituted arylannulated heterocyclic; or

R<sup>5</sup> and R<sup>6</sup> or R<sup>6</sup> and R<sup>7</sup> or R<sup>7</sup> and R<sup>8</sup> together form a carbocyclic ring, substituted or unsubstituted benzannulated carbocyclic and substituted or unsubstituted arylannulated carbocyclic.

4. The compound of claim 3, wherein the compound has the formula:

$$\frac{z^1}{x^2}$$

wherein  $X^1$  and  $X^2$  are independently O, N or S; and  $Z^1$  is OH, SH, a primary amine, or a secondary amine.

- 5 The compound of claim 3, further defined as 1,4-Bis(9,9-dipropyl 9H-fluoreno[3,2-d]oxazol-2-yl)-2-hydroxyphenyl.
  - 6. The compound of claim 3, further defined as 2,7-Bis(5-methylbenzoxazol-2-yl)-9,9-dipropyl-3-hydroxyfluorene

10

7. The compound of claim 1, wherein the compound is of the formula:

$$R^{1}$$
 $X^{1}$ 
 $X^{2}$ 
 $X^{2}$ 
 $X^{2}$ 
 $X^{2}$ 
 $X^{2}$ 

wherein:

 $X^1$  and  $X^2$  are independently selected from N, S or O;

15

Y is

or

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and R<sup>4</sup> are independently a substituted or unsubstituted, straight or branched C1-C22 alkyl, C1-C22 alkene,

C1-C22 alkynyl, or

wherein  $R^1$  and  $R^2$  together or  $R^3$  and  $R^4$  form an aromatic or nonaromatic 1 to 3 ring cyclic structure; and

10

5

at least one of the pairs  $R^1$  and  $R^2$  or  $R^3$  and  $R^4$  form an aromatic or nonaromatic 1 to 3 ring cyclic moiety.

8. The compound of claim 6, wherein the compound has the formula:

wherein  $X^1$  and  $X^2$  are independently O, N or S; and  $Z^1$  is OH, SH, a primary amine, or a secondary amine.

- 5 9. The compound of claim 8, wherein  $Z^1$  is OH, SH or  $NH_2$ .
  - 10. The compound of claim 6, further defined as 1,4-Bis(9,9-dipropyl 9H-fluoreno[3,2-d]oxazol-2-yl)-2-hydroxyphenyl.
- 10 11. The compound of claim 6, further defined as 2,7-Bis(5-methylbenzoxazol-2-yl)-9,9-dipropyl-3-hydroxyfluorene.

20

- 12. A polymer blend comprising a polymeric material and the compound of claim 1.
- 15 13. The polymer blend of claim 12, wherein said polymeric compound is polycarbonate.
  - 14. The polymer blend of claim 12, wherein the polymeric material is CR39.
  - 15. A method for manufacturing an optical lens comprising molding a polymer blend of claim 12 into a desired shape to produce an optical lens.
- 16. The method of claim 15, wherein said molding step is injection molding.

17. A method comprising the steps of preparing an intermediate compound of Formula 6

$$R^{2}$$
 $NH2-C$ 
 $Y$ 
 $R^{4}$ 
 $R^{4}$ 
 $R^{1}$ 
 $R^{2}$ 
 $R^{2}$ 
 $R^{3}$ 
 $R^{4}$ 

and reacting the formula under suitable conditions and with suitable reagents to form a compound of the formula

$$\begin{array}{c|c}
R^2 & & \\
R^3 & & \\
R^4 & & \\
\end{array}$$

$$\begin{array}{c|c}
R^3 & & \\
R^2 & & \\
\end{array}$$

Formula 7

wherein

10

15

Y is an aromatic or nonaromatic cyclic structure optionally substituted at least once with OH, SH, H, C<sub>1-22</sub> alkyl, C<sub>2-22</sub> alkene, C<sub>2-22</sub> alkyne, primary, secondary or tertiary amine, amino, nitro, nitroso, halogen; and

 $R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$  are independently selected from H, alkyl  $(C_1-C_8)$ , alkoxy  $(C_1-C_8)$ , acyl  $(-C(O)R; R = alkyl C_1-C_8)$ , acetoxy  $(-OC(O)R; R = alkyl C_1-C_8)$ , carboxylic acid and esters  $(-CO_2R = H \text{ or alkyl of } C_1-C_8)$ , amine  $(NR_2; R = H \text{ or alkyl } C_1-C_8)$ , nitro, nitroso, cyano, halogen (Cl, Br, I or F), substituted or unsubstituted aryl,

WO 2006/069811 PCT/EP2005/014202

5

10

15

37

substituted or unsubstituted heteroaryl, amide (-C(O)NR<sub>2</sub> R = H or alkyl  $C_1$ - $C_8$ ), or wherein

 $R^1$  and  $R^2$  or  $R^2$  and  $R^3$  or  $R^3$  and  $R^4$  together form a carbocyclic ring, substituted or unsubstituted and fused carbocyclic ring, substituted or unsubstituted benzannulated carbocyclic and substituted or unsubstituted arylannulated carbocyclic; and  $R^5$ ,  $R^6$ ,  $R^7$  and  $R^8$  = H, alkyl ( $C_1$ - $C_8$ ), alkoxy ( $C_1$ - $C_8$ ), acyl (-C(O)R; R = alkyl  $C_1$ - $C_8$ ), acetoxy (-C(O)R; R = alkyl  $C_1$ - $C_8$ ), carboxylic acid and esters (- $CO_2R$  = H or alkyl of  $C_1$ - $C_8$ ), amine ( $NR_2$ ; R = H or alkyl  $C_1$ - $C_8$ ), nitro, nitroso, cyano, halogen (CI, CI, CI), substituted or unsubstituted aryl, substituted or unsubstituted heteroaryl, amide (- $C(O)NR_2R$  = H or alkyl  $C_1$ - $C_8$ ), substituted or unsubstituted benzannulatedheterocyclic and substituted or unsubstituted arylannulated heterocyclic.